



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/539,904

08/14/2006

Amr Yassin

US020570

6587

24737

7590

04/13/2009

PHILIPS INTELLECTUAL PROPERTY & STANDARDS

P.O. BOX 3001

BRIARCLIFF MANOR, NY 10510

EXAMINER

PARK, JEONG S

ART UNIT

PAPER NUMBER

2454

MAIL DATE

DELIVERY MODE

04/13/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/539,904	Applicant(s) YASSIN ET AL.	
	Examiner JEONG S. PARK	Art Unit 2454	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 February 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15, 19 and 21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15, 19 and 21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 2/13/2009 has been entered.

Response to Arguments

2. Applicant's arguments with respect to claims 1 and 9 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-15, 19 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Zweig (U.S. Patent No. 6,658,325 B2) in view of Yamada et al. (hereinafter Yamada)(U.S. Pub. No. 2002/0081937 A1), and further in view of Boudreau et al. (hereinafter Boudreau)(U.S. Pub. No. 2004/0117858).

Regarding claim 1, Zweig teaches as follows:

a multi-dimensional robotic web browser (computerized mobile robot with an onboard Internet web server, see, e.g., abstract, lines 1-7), comprising:

means for downloading high level program instructions transmitted over an electronic network (the robot receives its most general highest level commands from the remote Internet link, see, e.g., col. 6, lines 65-67), wherein said high level program instructions include synchronized multimedia integration language (robot control instructions may be written in a wide variety of formats and language such as XML scripts, PERL script, JAVA applets, and the like, see, e.g., col. 7, lines 31-40, wherein the SMIL is similar to an HTML-like language is written in XML, see, e.g., W3C SMIL 1.0 Specification); and

means for rendering said downloaded high level program instructions (control instructions) transmitted over said electronic network (Internet)(interpreter program, RCS software 16 in figure 2, interprets and compiles various control instructions, see, e.g., col. 10, lines 10-12), such that when at least a portion of said downloaded instructions are rendered (interpret and modify these top-level commands in a quick and real-time manner, see, e.g., col. 7, lines 1-6), direct said robotic web browser to one of move in three dimensions (a robot may be given a remote command over the Internet to move forward a number of feet, see, e.g., col. 7, lines 7-8).

Zweig does not teach the web browser included in the robot but teaches a computerized mobile robot with an onboard internet web server (see, e.g., abstract, lines 1-2).

It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Zweig to alter the functionality of the robot from a web server to a web browser in order to manage a plurality of robotic web browsers with one dedicated web server and also to reduce the cost of making the robot.

Yamada teaches as follows:

a robot including a web browser (connecting the electronic toy (equivalent to applicant's robot) to a network through a connection means includes a personal computer, see, e.g., page 4, paragraph [0067]-[0071], connecting the communication interface of the robot with the personal computer connected to the Internet, see, e.g., page 15, paragraph [0287]-[0288]);

direct said robotic web browser to move in three dimensions (movement mechanism, see, e.g., page 1, paragraph [0012] and page 2, paragraph [0026]), play back an audio stream (sound data is downloaded with the connection means, see, e.g., page 4, paragraph [0067], outputting the downloaded sound data as a voice by the vocalization means, see, e.g., page 2, paragraph [0053]), and play back a video stream (display unit displays information, see, e.g., page 9, paragraph [0219], attached sound file is played, see, e.g., page 17, paragraph [0314]); and

the robot is configured to move synchronously with content being rendered by a rendering device other than the robot (the electronic toy controlled so as to react to external information, see, e.g., page 2, paragraph [0032], making the robot move in correspondence with music or sound collected by a microphone, see, e.g., page 19, paragraph [0330]-[0331]).

It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Zweig to include multi functional robot as taught by Yamada in order to be utilized the robot as an adult toy performing various operations.

Since Yamada teaches a display unit and the capability to run the downloaded sound file, it would have been obvious for one of ordinary skill in the art at the time of the invention to modify Yamada to include video stream play back function.

Zweig does not teach of producing behaviors and interactions based on user preferences stored in a memory of the robot.

Yamada teaches as follows:

an emotion parameter (equivalent to applicant's user preference) is set based on the specific person (an emotion parameter is included in the control parameter, and the emotion parameter is represented as the biorhythm of a specific person, see, e.g., page 3, paragraph [0045]);

producing behaviors and interactions based on the emotion parameter (control unit selects the information to be externally displayed and/or selects the sound to be externally output based on the emotion parameter, see, e.g., page 3, paragraph [0049]); and

the electronic toy comprises a connection means for connecting the electronic toy to a network, and wherein at least one of the words and sound data is downloaded to the storage means (equivalent to applicant's robot memory) from a server device connected to the network (see, e.g., page 4, paragraph [0067]).

It would have been obvious for one of ordinary skill in the art at the time of the invention to modify the emotion parameter to the user preference in order to display the received instruction or data in terms of the user's emotional status was previously stored.

Therefore, Yamada teaches of rendering produce behaviors and interactions based on user preferences stored in a memory of the robot.

It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Zweig to include the emotion parameter as taught by Yamada in order to select different outputs means for the downloaded data through the network based on the emotion parameter was set based on a specific person.

Zweig in view of Yamada teach the multidimensional robot produces behaviors based on a rendering device as presented above.

Zweig in view of Yamada do not teach that the rendering device is a television and producing behaviors and interactions based on a television show.

Boudreau teaches as follows:

a multi-media system includes functionality that provides for the download of content, including video. Audio, and/or data corresponding to television show episodes, that is related to the content presented on a television (the television is a well-known rendering device), and its corresponding presentation at an external device (equivalent to applicant's robot)(see, e.g., page 1, paragraph [0014]);

the presentation of content displayed on the television set can be synchronized with the related content presentation at the external device which includes functionality for providing audio related to the show (see, e.g., page 2, paragraph [0015]); and

the external device can provide multidimensional movement (see, e.g., page 3, paragraph [0025], lines 9-14).

It would have been obvious for one of ordinary skill in the art at the time of the invention to combine Boudreau with Zweig in view of Yamada in order to increase the level of interest in the television show by presenting the content of the television show on an external device such as a toy and a doll.

Regarding claims 2 and 10, Zweig teaches as follows:

means for storing said downloaded high level program instructions (CGI commands are passed through CGI interface to other program in the robot's onboard memory, see, e.g., col. 10, lines 28-36); and

means for retrieving said downloaded high level program instructions (CGI commands) from said storing means (robot's onboard memory)(run these other program passed from CGI commands as needed, see, e.g., col. 10 ,lines 28-36).

Regarding claim 3, Zweig teaches as follows:

means for rendering pre-stored high level program instructions (processed instructions or previously assigned set of commands) pre-stored on one or more computer-readable media (robot's onboard memory) coupled to or integrated with said robotic web browser (standing orders are to modify the state of the robot without

requesting further input from remote internet site, the robot activates a previously assigned set of commands to move out of the area, see, e.g., col. 11, lines 30-40).

Regarding claim 4, Zweig teaches as follows:

a mobile robot (functioning as a web server) sends Hyper Text Markup Language files using the HTTP protocol on telecommunications link to a web browser running on remote Internet site (see, e.g., col. 9, lines 36-39); and

a user on web browser sends CGI data to the CGI interface of the robot's onboard web server (see, e.g., col. 9, lines 39-42).

Since Zweig teaches using a robot as a web server instead of web browser, it would have been obvious for one of ordinary skill in the art at the time of the invention to modify Zweig to alter the functionality of the robot from a web server to a web browser in order to manage a plurality of robotic web browsers with one dedicated web server and also to reduce the cost of making the robot.

Regarding claim 5, Zweig teaches as follows:

means for processing data in two-dimensions (displaying video) in accordance with current and future network browser standards (it is inherent functionality for any existing web browser, Java applets can translate user commands to other languages ,display video, display interactive graphics and other useful functions, see, e.g., col. 2 , lines 43-50).

Regarding claims 6 and 11, Zweig teaches as follows:

said electronic network is the Internet (see, e.g., col. 6, lines 65-67).

Regarding claim 7, Zweig teaches as follows:

said program instructions are downloaded in accordance with a recognized Internet transmission protocol (HTTP and TCP/IP, see, e.g., col. 1, line 65 to col. 2, line 4).

Regarding claims 8 and 12, Zweig teaches as follows:

said electronic network is one of a wireless or wired network (Internet could be wireless or wired network, see, e.g., see, e.g., col. 6, lines 65-67).

Regarding claim 9, Zweig teaches as follows:

a system for executing high level language instructions (highest level commands), downloaded over an electronic network (Internet link)(see, e.g., col. 6, line 65 to col. 7, line 6), said instructions for processing in a multi-dimensional robotic web browser (see, e.g., col. 7, line 7-8), the system comprising:

at least one remote computer (remote Internet user, 4 in figure 1) for generating said high level language instructions (the remote Internet user sends back CGI commands requesting robotic movement back to server, see, e.g., col. 10, lines 50-56);

said electronic network (telecommunications link, 3 in figure 1) coupling said at least one remote computer (remote Internet user, 4 in figure 1) with said multi-dimensional robotic web browser (mobile robot, 1 in figure 1)(see, e.g., col. 9, lines 34-39);

said multi-dimensional robotic web browser (computerized mobile robot with an onboard Internet web server, see, e.g., abstract, lines 1-7), comprising:

means for receiving said high level language instructions downloaded over said electronic network (the robot receives its most general highest level commands from the

Art Unit: 2454

remote Internet link, see, e.g., col. 6, lines 65-67); and

means for rendering said downloaded high level language instructions (control instructions), such that when at least a portion of said instructions are rendered by said robotic web browser (interpret and modify these top-level commands in a quick and real-time manner, see, e.g., col. 7, lines 1-6), direct said robotic web browser to move in three-dimensions (a robot may be given a remote command over the Internet to move forward a number of feet, see, e.g., col. 7, lines 7-8).

Zweig does not teach the web browser included in the robot but teaches a computerized mobile robot with an onboard internet web server (see, e.g., abstract, lines 1-2).

It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Zweig to alter the functionality of the robot from a web server to a web browser in order to manage a plurality of robotic web browsers with one dedicated web server and also to reduce the cost of making the robot.

Yamada teaches as follows:

a robot including a web browser (connecting the electronic toy (equivalent to applicant's robot) to a network through a connection means includes a personal computer, see, e.g., page 4, paragraph [0067]-[0071], connecting the communication interface of the robot with the personal computer connected to the Internet, see, e.g., page 15, paragraph [0287]-[0288]);

direct said robotic web browser to move in three dimensions (movement mechanism, see, e.g., page 1, paragraph [0012] and page 2, paragraph [0026]), play

Art Unit: 2454

back an audio stream (sound data is downloaded with the connection means, see, e.g., page 4, paragraph [0067], outputting the downloaded sound data as a voice by the vocalization means, see, e.g., page 2, paragraph [0053]), and play back a video stream (display unit displays information, see, e.g., page 9, paragraph [0219], attached sound file is played, see, e.g., page 17, paragraph [0314]); and

the robot is configured to move synchronously with content being rendered by a rendering device other than the robot (the electronic toy controlled so as to react to external information, see, e.g., page 2, paragraph [0032], making the robot move in correspondence with music or sound collected by a microphone, see, e.g., page 19, paragraph [0330]-[0331]).

It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Zweig to include multi functional robot as taught by Yamada in order to be utilized the robot as an adult toy performing various operations.

Since Yamada teaches a display unit and the capability to run the downloaded sound file, it would have been obvious for one of ordinary skill in the art at the time of the invention to modify Yamada to include video stream play back function.

Zweig does not teach of producing behaviors and interactions based on user preferences stored in a memory of the robot.

Yamada teaches as follows:

an emotion parameter (equivalent to applicant's user preference) is set based on the specific person (an emotion parameter is included in the control parameter, and the

Art Unit: 2454

emotion parameter is represented as the biorhythm of a specific person, see, e.g., page 3, paragraph [0045]);

producing behaviors and interactions based on the emotion parameter (control unit selects the information to be externally displayed and/or selects the sound to be externally output based on the emotion parameter, see, e.g., page 3, paragraph [0049]); and

the electronic toy comprises a connection means for connecting the electronic toy to a network, and wherein at least one of the words and sound data is downloaded to the storage means (equivalent to applicant's robot memory) from a server device connected to the network (see, e.g., page 4, paragraph [0067]).

It would have been obvious for one of ordinary skill in the art at the time of the invention to modify the emotion parameter to the user preference in order to display the received instruction or data in terms of the user's emotional status was previously stored.

Therefore, Yamada teaches of rendering produce behaviors and interactions based on user preferences stored in a memory of the robot.

It would have been obvious for one of ordinary skill in the art at the time of the invention to modify Zweig to include the emotion parameter as taught by Yamada in order to select different outputs means for the downloaded data through the network based on the emotion parameter was set based on a specific person.

Zweig in view of Yamada teach the multidimensional robot produces behaviors based on a rendering device as presented above.

Zweig in view of Yamada do not teach that the rendering device is a television and producing behaviors and interactions based on a television show.

Boudreau teaches as follows:

a multi-media system includes functionality that provides for the download of content, including video. Audio, and/or data corresponding to television show episodes, that is related to the content presented on a television (the television is a well-known rendering device), and its corresponding presentation at an external device (equivalent to applicant's robot)(see, e.g., page 1, paragraph [0014]);

the presentation of content displayed on the television set can be synchronized with the related content presentation at the external device which includes functionality for providing audio related to the show (see, e.g., page 2, paragraph [0015]); and

the external device can provide multidimensional movement (see, e.g., page 3, paragraph [0025], lines 9-14).

It would have been obvious for one of ordinary skill in the art at the time of the invention to combine Boudreau with Zweig in view of Yamada in order to increase the level of interest in the television show by presenting the content of the television show on an external device such as a toy and a doll.

Regarding claims 13-15 and 19, Yamada teaches as follows:

the multi-dimensional robotic web browser is configured to blink twice, smile, and bow (the display unit expresses various expressions of the robot with corresponding sound and movement, see, e.g., page 13, paragraph [0264] and page 17, paragraph [0318]);

perform a country dance and shake hands (movement based on music, see, e.g., page 17, paragraph [0320]-[0321]);

synchronized to move in accordance with a content being rendered by the robot (control unit controls the motors based on the operational control information and makes the robot perform operations corresponding to the message stored in the robot, see, e.g., page 17, paragraph [0314]);

produce behaviors and interactions based on a story line of the content (interpreted as a message)(control unit controls the motors based on the operational control information and makes the robot perform operations corresponding to the message and text data may also be read, see, e.g., page 17, paragraph [0314]); and

produce behaviors and interactions based on user preferences regarding rendering of data including pace of delivery, loudness of the rendering, and movements (series of movements of the robot by assembling control codes corresponding to the individual operations, see, e.g., page 17, paragraph [0314] and the robot comprises as means for detecting the peripheral situation and inputs, a touch sensor, sound sensor, light sensor and status sensor to correspond for various interactions, see, e.g., page 9, paragraph [0218].

Therefore, they are rejected for similar reason as presented above in claims 1 and 9.

Regarding claim 21, Yamada teaches as follows:

the multi-dimensional robotic web browser is configured to blink twice, smile, and bow (the display unit expresses various expressions of the robot with corresponding

Art Unit: 2454

sound and movement, see, e.g., page 13, paragraph [0264] and page 17, paragraph [0318]);

perform a country dance and shake hands (movement based on music, see, e.g., page 17, paragraph [0320]-[0321]); and

control unit controls the motors based on the operational control information and makes the robot perform operations corresponding to the message and text data may also be read (see, e.g., page 17, paragraph [0314]).

Therefore, it would have been obvious for one of ordinary skill in the art at the time of the invention to modify Yamada with Zweig in view of Boudreau to include the sequence of operations sequentially including performing a dance, blinking twice, smiling, bowing and shaking hands in order to increase the level of interest by adding more functionalities to the multi-dimensional robot web browser.

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to JEONG S. PARK whose telephone number is (571)270-1597. The examiner can normally be reached on Monday through Friday 7:00 - 3:30 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Flynn can be reached on 571-272-1915. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2454

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. S. P./
Examiner, Art Unit 2454

April 8, 2009

/Nathan J. Flynn/
Supervisory Patent Examiner, Art Unit 2454